

04/20/2012

Ref # 6104
Dell Compellent
SC 8000



Section 508 Conformance Audit Voluntary Product Accessibility Template

Dell PowerEdge™

Regulatory Model: E14S
Marketing Model Number: R720, R720XD, Dell Compellent SC8000

Dell Inc.
One Dell Way
Round Rock, TX 78682

Accessibility Partners, LLC
514 Hillsboro Drive
Suite 1
Silver Spring, MD 20902
Phone: 301-717-7177
www.AccessibilityPartners.com
Info@AccessibilityPartners.com

Section 508 Evaluation Template

This Voluntary Product Accessibility Template (VPAT) provides guidance on the accessibility characteristics of the **Dell PowerEdge™ regulatory model E14S as of April 20, 2012.**

Regulatory Model: E14S

Marketing Model Number: PowerEdge R720, PowerEdge R720X, and Dell Compellent SC8000

The current version of the **PowerEdge™ regulatory model E14S** was tested for conformance with Section 508 of the Rehabilitation Act, specifically, the U.S. Access Board's Technical Requirements. This product was tested as of **April 20, 2012** and is only valid for the version and date it was tested.

VPAT™ Summary Table Voluntary Product Accessibility Template®				
VPAT Summary	Total Standards	Total Applicable Standard	Supports	Exceptions
Section 1194.21 Software Applications and Operating Systems	12	12	12	0
Section 1194.22 Web-based Internet Information and Applications	16	0	0	0
Section 1194.23 Telecommunications Products	14	4	4	0
Section 1194.24 Video and Multi-media Products	5	0	0	0
Section 1194.25 Self-Contained, Closed Products	13	7	7	0
Section 1194.26 Desktop and Portable Computers	4	3	3	0
Section 1194.31 Functional Performance Criteria	6	6	6	0
Section 1194.41 Information, Documentation and Support	3	3	3	0
Total	73	35	35	0

<p align="center">Section 1194.21 Software Applications and Operating Systems -- Detail VPAT™ Voluntary Product Accessibility Template®</p>		
Criteria	Supporting Features	Remarks and explanations
<p>(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.</p>	<p>Supports</p>	<p>Supports via Microsoft Windows Operating System.</p> <p>Product functions are executable from a keyboard where the function itself or the result of performing a function can be discerned textually.</p> <p>Navigation of the application menus via the operating system from the keyboard, as well as, Microsoft accessibility features including StickyKeys, Filter Keys, and ToggleKeys are supported. For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs.</p>
<p>(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.</p>	<p>Supports</p>	<p>Supports via Microsoft Windows Operating System.</p> <p>Applications running on this product do not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards.</p> <p>For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs.</p>
<p>(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.</p>	<p>Supports</p>	<p>Supports via Microsoft Windows Operating System.</p> <p>This product supports a well-defined on-screen indication of the current focus that moves among interactive interface elements as the input focus changes.</p> <p>The focus is programmatically exposed so</p>

		<p>Assistive Technology can track focus and focus changes.</p> <p>For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs.</p>
<p>(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.</p>	Supports	<p>Supports via Microsoft Windows Operating System.</p> <p>Information about user interface elements is made available to Assistive Technology.</p> <p>Text equivalents for program element images are available for applications that adhere to standard Windows Application Programming Interfaces (APIs).</p> <p>For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs.</p>
<p>(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.</p>	Supports	<p>Supports via Microsoft Windows Operating System.</p> <p>Bitmap images meanings (controls, status indicators, or other programmatic elements) are consistent throughout the application's performance.</p> <p>For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs.</p>
<p>(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.</p>	Supports	<p>Supports via Microsoft Windows Operating System.</p> <p>Textual information (text content, text input caret location, and text attributes) for displaying text are provided.</p> <p>For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs.</p>
<p>(g) Applications shall not override user selected contrast and color selections and other individual display attributes.</p>	Supports	<p>Supports via Microsoft Windows Operating System.</p> <p>User selected contrast and color selections and other individual display attributes set through Microsoft Windows are not superseded while running applications.</p>

		For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs .
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Supports	Supports via Microsoft Windows Operating System. User has the option of selecting a non-animated presentation mode. For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs .
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	Supports via Microsoft Windows Operating System. This product does not use color coding as the only means to convey information, indicating an action, prompting responses or distinguishing visual elements. For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs .
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Supports	Supports via Microsoft Windows Operating System. This product permits a user to adjust color selections through Microsoft Windows which provides a range of contrast levels for applications that allow a user to adjust color and contrast settings. For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs .
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supports	Supports via Microsoft Windows Operating System. Flashing and blinking does not occur in the prohibited range. The cursor blink rate can be adjusted by the user to less than 2Hz. For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs .

<p>(l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>	<p>Supports</p>	<p>Supports via Microsoft Windows Operating System.</p> <p>Form information, field elements, and functionality for completion and submission of electronic forms are accessible with Assistive Technology.</p> <p>For more information regarding the accessibility of Microsoft Operating Systems: Microsoft VPATs.</p>
---	-----------------	---

<p align="center">Section 1194.22 Web-based Internet information and applications -- Detail VPAT™ Voluntary Product Accessibility Template®</p>		
<p>Criteria</p>	<p>Supporting Features</p>	<p>Remarks and explanations</p>
<p>(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).</p>	<p>Not Applicable</p>	<p>This product is a server, therefore not an internet application.</p>
<p>(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.</p>	<p>Not Applicable</p>	<p>This product is a server, therefore not an internet application.</p>
<p>(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.</p>	<p>Not Applicable</p>	<p>This product is a server, therefore not an internet application.</p>
<p>(d) Documents shall be organized so they are readable without requiring an associated style sheet.</p>	<p>Not Applicable</p>	<p>This product is a server, therefore not an internet application.</p>
<p>(e) Redundant text links shall be provided for each active region of a server-side image map.</p>	<p>Not Applicable</p>	<p>This product is a server, therefore not an internet application.</p>
<p>(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.</p>	<p>Not Applicable</p>	<p>This product is a server, therefore not an internet application.</p>

(g) Row and column headers shall be identified for data tables.	Not Applicable	This product is a server, therefore not an internet application.
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Not Applicable	This product is a server, therefore not an internet application.
(i) Frames shall be titled with text that facilitates frame identification and navigation	Not Applicable	This product is a server, therefore not an internet application.
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not Applicable	This product is a server, therefore not an internet application.
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Not Applicable	This product is a server, therefore not an internet application.
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Not Applicable	This product is a server, therefore not an internet application.
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Not Applicable	This product is a server, therefore not an internet application.
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and	Not Applicable	This product is a server, therefore not an internet application.

submission of the form, including all directions and cues.		
(o) A method shall be provided that permits users to skip repetitive navigation links.	Not Applicable	This product is a server, therefore not an internet application.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	This product is a server, therefore not an internet application.

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

Section 1194.23 Telecommunications Products – Detail VPAT™ Voluntary Product Accessibility Template®		
Criteria	Supporting Features	Remarks and explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Not Applicable	Not a Telecommunications Product or System.
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	Not Applicable	Not a Telecommunications Product or System.
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not Applicable	Not a Telecommunications Product or System.

<p>(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.</p>	<p>Not Applicable</p>	<p>Not a Telecommunications Product or System.</p>
<p>(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.</p>	<p>Not Applicable</p>	<p>Not a Telecommunications Product or System.</p>
<p>(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.</p>	<p>Not Applicable</p>	<p>Not a Telecommunications Product or System.</p>
<p>(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.</p>	<p>Not Applicable</p>	<p>Not a Telecommunications Product or System.</p>
<p>(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.</p>	<p>Not Applicable</p>	<p>Not a Telecommunications Product or System.</p>
<p>(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.</p>	<p>Not Applicable</p>	<p>Not a Telecommunications Product or System.</p>
<p>(j) Products that transmit or conduct information or</p>	<p>Not Applicable</p>	<p>Not a Telecommunications Product or System.</p>

<p>communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.</p>		
<p>(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.</p>	<p>Supports</p>	<p>Tactile marks are present on the “F” and “J” keys on the keyboard. Controls, keys and latches are tactilely discernible.</p>
<p>(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.</p>	<p>Supports</p>	<p>Controls, keys and latches may be triggered with one hand and do not require tight grasping, pinching or twisting of the wrist. Controls and keys may be activated using less than 5 pound of force (pressure).</p>
<p>(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.</p>	<p>Supports</p>	<p>Support provided via Microsoft Operating Systems.</p>
<p>(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.</p>	<p>Supports</p>	<p>Supported via Microsoft Operating Systems Accessibility Features. Provides audible feedback when toggling and locking keys are set.</p>

Section 1194.24 Video and Multi-media Products – Detail VPAT™ Voluntary Product Accessibility Template®		
Criteria	Supporting Features	Remarks and explanations
<p>(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.</p>	<p>Not Applicable</p>	<p>This product is not a Video or Multi-media Product.</p> <p>Does not have analog television receiver or display circuitry.</p>
<p>(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.</p>	<p>Not Applicable</p>	<p>This product is not a Video or Multi-media Product.</p> <p>Does not have tuner capabilities.</p>
<p>(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.</p>	<p>Not Applicable</p>	<p>This product is not a Video or Multi-media Product.</p> <p>This product contains no user required multimedia presentations.</p>

(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	Not Applicable	This product is not a Video or Multi-media Product. This product contains no user required multimedia presentations.
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	Not Applicable	This product is not a Video or Multi-media Product. This product contains no user required multimedia presentations.

Section 1194.25 Self-Contained, Closed Products – Detail VPAT™ Voluntary Product Accessibility Template®		
Criteria	Supporting Features	Remarks and explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	Not Applicable	This product is not a self-contained, closed product
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	This product is not a self-contained, closed product.
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not Applicable	This product is not a self-contained, closed product.
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	This product is not a self-contained, closed product.
(e) When products provide	Not	This product is not a self-contained, closed

<p>auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.</p>	<p>Applicable</p>	<p>product.</p>
<p>(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.</p>	<p>Not Applicable</p>	<p>This product is not a self-contained, closed product.</p>
<p>(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	<p>Supports</p>	<p>Color coding is not used as the sole means of conveying information or indicating an action.</p>
<p>(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.</p>	<p>Supports</p>	<p>The operating system can be used to select user display settings.</p>
<p>(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p>	<p>Supports</p>	<p>Flashing and blinking does not occur in the prohibited range.</p>
<p>(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the</p>	<p>Supports</p>	<p>The position of the operable controls is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.</p>

<p>operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.</p>		
<p>(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.</p>	<p>Supports</p>	<p>Products have operable controls that are 10 inches or less behind the reference plane, the height is 54 inches maximum and 15 inches minimum above the floor.</p>
<p>(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.</p>	<p>Supports</p>	<p>Product has operable controls that comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.</p>
<p>(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.</p>	<p>Supports</p>	<p>Products have operable controls that comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.</p>

<p align="center">Section 1194.26 Desktop and Portable Computers – Detail VPAT™ Voluntary Product Accessibility Template®</p>		
<p>Criteria</p>	<p>Supporting Features</p>	<p>Remarks and explanations</p>
<p>(a) All mechanically operated</p>	<p>Supports</p>	<p>Controls, keys and latches are tactilely</p>

<p>controls and keys shall comply with §1194.23 (k) (1) through (4).</p>		<p>discernible.</p> <p>Controls, keys and latches may be triggered with one hand and do not require tight grasping, pinching or twisting of the wrist. Controls and keys may be activated using less than 5 pound of force (pressure).</p> <p>Key repeat support is provided via Microsoft Operating Systems. The status of locking and toggle controls and keys is supported via Microsoft Operating Systems Accessibility Features.</p> <p>Provides audible feedback when toggling and locking keys are set.</p>
<p>(b) If a product utilizes touch screens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).</p>	<p>Supports</p>	<p>Product does not use touch screen operated controls.</p> <p>Controls, keys and latches are tactilely discernible. Controls, keys and latches may be triggered with one hand and do not require tight grasping, pinching or twisting of the wrist. Controls and keys may be activated using less than 5 pound of force (pressure). Key repeat support is provided via Microsoft Operating Systems.</p> <p>The status of locking and toggle controls and keys is supported via Microsoft Operating Systems Accessibility Features.</p> <p>Provides audible feedback when toggling and locking keys are set.</p>
<p>(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.</p>	<p>Not Applicable</p>	<p>Product Does not use biometric forms for user identification.</p>
<p>(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards</p>	<p>Supports</p>	<p>Dell uses publicly available industry standard ports and connectors.</p>

<p align="center">Section 1194.31 Functional Performance Criteria – Detail VPAT™ Voluntary Product Accessibility Template®</p>		
Criteria	Supporting Features	Remarks and explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports	The product may be operated without vision. Information retrieval is supported by Windows operating system Windows when combined with assistive technology for example, screen reader (Jaws).
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supports	The product may be operated without vision and does not require visual acuity greater than 20/70. Due to a documented problem from Freedom Scientific with compatibility between the video card or adapter and the OS, MAGic does not work. Nor does the screen magnification feature included in the Windows Operating System.
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided	Supports	Does not require user hearing to operate or for information retrieval.
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Supports	Does not require user hearing to operate or for information retrieval.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Supports	User speech is not required for operations.

<p>(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.</p>	<p>Supports</p>	<p>Operation and information retrieval does not require fine motor control and simultaneous actions. The product can be operated with limited reach and strength.</p>
--	-----------------	---

<p align="center">Section 1194.41 Information, Documentation and Support – Detail VPAT™ Voluntary Product Accessibility Template®</p>		
<p>Criteria</p>	<p>Supporting Features</p>	<p>Remarks and explanations</p>
<p>(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge</p>	<p>Supports</p>	<p>Alternative forms of access to product support documentation in alternative formats are currently available by contacting Dell Customer and Technical Support: http://support.dell.com at no additional charge to the end user.</p>
<p>(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.</p>	<p>Supports</p>	<p>Alternative forms of access to descriptions of accessibility and compatibility features in alternative formats are currently available via Dell Customer Support and Technical Support Services: http://support.dell.com at no additional charge to the end user.</p>
<p>c) Support services for products shall accommodate the communication needs of end-users with disabilities.</p>	<p>Supports</p>	<p>Dell provides support for Technical Support via Online Chat, Telephone and E-mail. Dell has a dedicated TTY line available.</p>

04/20/2012

Reg # 6104
Dell Compellent
FS8600



Section 508 Conformance Audit Voluntary Product Accessibility Template

*Dell Compellent HW **FS8600***

Dell PowerVault NX3600

Dell PowerVault NX3610

Dell EqualLogic FS7600

Dell EqualLogic FS7610

Regulatory Model: E02T

Dell Inc.
One Dell Way
Round Rock, TX 78682

Accessibility Partners, LLC
514 Hillsboro Drive
Suite 1
Silver Spring, MD 20902
Phone: 301-717-7177
www.AccessibilityPartners.com
Info@AccessibilityPartners.com

Section 508 Evaluation Template

This Voluntary Product Accessibility Template (VPAT) provides guidance on the accessibility characteristics of the **Dell Compellent HW FS8600, Dell PowerVault NX3600, Dell PowerVault NX3610, Dell EqualLogic FS7600 and Dell EqualLogic FS7610 as of April 20, 2012.**

Name of Product: **Dell Compellent HW FS8600**
 Dell PowerVault NX3600
 Dell PowerVault NX3610
 Dell EqualLogic FS7600
 Dell EqualLogic FS7610

The current versions of the **Dell Compellent HW FS8600, Dell PowerVault NX3600, Dell PowerVault NX3610, Dell EqualLogic FS7600 and Dell EqualLogic FS7610** were tested for conformance with Section 508 of the Rehabilitation Act, specifically, the U.S. Access Board's Technical Requirements. These products were tested as of **April 20, 2012** and are only valid for the version and date it was tested.

VPAT™ Summary Table				
Voluntary Product Accessibility Template®				
VPAT Summary	Total Standards	Total Applicable Standard	Supports	Exceptions
Section 1194.21 Software Applications and Operating Systems	12	0	0	0
Section 1194.22 Web-based Internet Information and Applications	16	0	0	0
Section 1194.23 Telecommunications Products	14	3	3	0
Section 1194.24 Video and Multi-media Products	5	0	0	0
Section 1194.25 Self-Contained, Closed Products	13	5	5	0
Section 1194.26 Desktop and Portable Computers	4	2	2	0
Section 1194.31 Functional Performance Criteria	6	6	6	0
Section 1194.41 Information, Documentation and Support	3	3	3	0

Total	73	19	19	0
--------------	-----------	-----------	-----------	----------

**Section 1194.21 Software Applications and Operating Systems -- Detail
VPAT™
Voluntary Product Accessibility Template®**

Criteria	Supporting Features	Remarks and explanations
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Not Applicable	These criteria to not apply to data storage devices.
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Not Applicable	These criteria to not apply to data storage devices.
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Not Applicable	These criteria to not apply to data storage devices.
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When	Not Applicable	These criteria to not apply to data storage devices.

Dell Compellent HW FS8600

an image represents a program element, the information conveyed by the image must also be available in text.		
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Not Applicable	These criteria to not apply to data storage devices.
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Not Applicable	These criteria to not apply to data storage devices.
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Not Applicable	These criteria to not apply to data storage devices.
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Not Applicable	These criteria to not apply to data storage devices.
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Not Applicable	These criteria to not apply to data storage devices.
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Not Applicable	These criteria to not apply to data storage devices.
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Not Applicable	These criteria to not apply to data storage devices.
(l) When electronic forms are used, the form shall allow people	Not Applicable	These criteria to not apply to data storage devices.

<p>using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>		
---	--	--

<p align="center">Section 1194.22 Web-based Internet information and applications -- Detail VPAT™ Voluntary Product Accessibility Template®</p>		
<p>Criteria</p>	<p>Supporting Features</p>	<p>Remarks and explanations</p>
<p>(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).</p>	<p>Not Applicable</p>	<p>These criteria to not apply to data storage devices.</p>
<p>(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.</p>	<p>Not Applicable</p>	<p>These criteria to not apply to data storage devices.</p>
<p>(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.</p>	<p>Not Applicable</p>	<p>These criteria to not apply to data storage devices.</p>
<p>(d) Documents shall be organized so they are readable without requiring an associated style sheet.</p>	<p>Not Applicable</p>	<p>These criteria to not apply to data storage devices.</p>
<p>(e) Redundant text links shall be provided for each active region of a server-side image map.</p>	<p>Not Applicable</p>	<p>These criteria to not apply to data storage devices.</p>
<p>(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.</p>	<p>Not Applicable</p>	<p>These criteria to not apply to data storage devices.</p>
<p>(g) Row and column headers shall be identified for data tables.</p>	<p>Not Applicable</p>	<p>These criteria to not apply to data storage devices.</p>
<p>(h) Markup shall be used to associate data cells and header</p>	<p>Not Applicable</p>	<p>These criteria to not apply to data storage devices.</p>

Dell Compellent HW FS8600

cells for data tables that have two or more logical levels of row or column headers.		
(i) Frames shall be titled with text that facilitates frame identification and navigation	Not Applicable	These criteria to not apply to data storage devices.
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not Applicable	These criteria to not apply to data storage devices.
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Not Applicable	These criteria to not apply to data storage devices.
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Not Applicable	These criteria to not apply to data storage devices.
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Not Applicable	These criteria to not apply to data storage devices.
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Not Applicable	These criteria to not apply to data storage devices.
(o) A method shall be provided that permits users to skip	Not Applicable	These criteria to not apply to data storage devices.

repetitive navigation links.		
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	These criteria to not apply to data storage devices.

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

Section 1194.23 Telecommunications Products – Detail VPAT™ Voluntary Product Accessibility Template®		
Criteria	Supporting Features	Remarks and explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Not Applicable	Not a Telecommunications Product or System
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	Not Applicable	Not a Telecommunications Product or System
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not Applicable	Not a Telecommunications Product or System
(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications	Not Applicable	Not a Telecommunications Product or System

Dell Compellent HW FS8600

systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.		
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.	Not Applicable	Not a Telecommunications Product or System
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Not Applicable	Not a Telecommunications Product or System
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	Not a Telecommunications Product or System
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not Applicable	Not a Telecommunications Product or System.
(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	Not Applicable	Not a Telecommunications Product or System
(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard	Not Applicable	Not a Telecommunications Product or System

<p>codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.</p>		
<p>(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.</p>	<p>Supports</p>	<p>Product has mechanically operated controls or keys that comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.</p>
<p>(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.</p>	<p>Supports</p>	<p>Product has mechanically operated controls or keys that comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.</p>
<p>(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.</p>	<p>Not Applicable</p>	<p>Product does not support key repeat functionality.</p>
<p>(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.</p>	<p>Supports</p>	<p>Product has mechanically operated controls or keys and complies with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.</p>

**Section 1194.24 Video and Multi-media Products – Detail
VPAT™
Voluntary Product Accessibility Template®**

Criteria	Supporting Features	Remarks and explanations
<p>(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.</p>	<p>Not Applicable</p>	<p>These criteria do not apply to storage enclosures.</p>
<p>(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.</p>	<p>Not Applicable</p>	<p>These criteria do not apply to storage enclosures.</p>
<p>(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.</p>	<p>Not Applicable</p>	<p>These criteria do not apply to storage enclosures.</p>

(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	Not Applicable	These criteria do not apply to storage enclosures.
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	Not Applicable	These criteria do not apply to storage enclosures.

Section 1194.25 Self-Contained, Closed Products – Detail VPAT™ Voluntary Product Accessibility Template®		
Criteria	Supporting Features	Remarks and explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	Supports	This product can be used by people with disabilities without requiring an end-user to attach assistive technology to the product.
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	Timed responses are not required.
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not Applicable	This product does not use touch screens or contact-sensitive controls.
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	This product does not use biometric forms of user identification.
(e) When products provide	Not	This product does not provide auditory

Dell Compellent HW FS8600

<p>auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.</p>	<p>Applicable</p>	<p>output.</p>
<p>(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.</p>	<p>Not Applicable</p>	<p>This product does not deliver voice output.</p>
<p>(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	<p>Not Applicable</p>	<p>This product does not use color coding as the only means of conveying information.</p>
<p>(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.</p>	<p>Not Applicable</p>	<p>This product does not permit the user to adjust color and contrast settings.</p>
<p>(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p>	<p>Not Applicable</p>	<p>This product does not cause blinking in the prohibitive range.</p>
<p>(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the</p>	<p>Supports</p>	<p>Product has operable controls that comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.</p>

<p>operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.</p>		
<p>(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.</p>	<p>Supports</p>	<p>Product has operable controls that comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.</p>
<p>(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.</p>	<p>Supports</p>	<p>Product has operable controls that comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.</p>
<p>(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.</p>	<p>Supports</p>	<p>Product has operable controls that comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.</p>

**Section 1194.26 Desktop and Portable Computers – Detail
VPAT™
Voluntary Product Accessibility Template®**

Criteria	Supporting Features	Remarks and explanations
(a) All mechanically operated	Supports	(1) Product has mechanically operated

<p>controls and keys shall comply with §1194.23 (k) (1) through (4).</p>		<p>controls or keys that comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.</p> <p>(2) Product has mechanically operated controls or keys that comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.</p> <p>(3) Product does not support key repeat functionality.</p> <p>(4) Product has mechanically operated controls or keys and complies with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.</p>
<p>(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).</p>	<p>Not Applicable</p>	<p>Product does not use touch-operated controls.</p>
<p>(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.</p>	<p>Not Applicable</p>	<p>Product does not use biometric forms of user identification or control.</p>
<p>(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards</p>	<p>Supports</p>	<p>Dell uses publicly available industry standard ports and connectors.</p>

Section 1194.31 Functional Performance Criteria – Detail
VPAT™
Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
<p>(a) At least one mode of operation and information</p>	<p>Supports</p>	<p>The product hardware may be operated without vision.</p>

retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.		
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supports	The product does not require visual acuity greater than 20/70.
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided	Supports	Does not require user hearing to operate or for information retrieval.
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Supports	Does not require user hearing to operate or for information retrieval.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Supports	User speech is not required for operations.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supports	Operation and information retrieval for the hardware does not require fine motor control and simultaneous actions. The product can be operated with limited reach and strength.

<p align="center">Section 1194.41 Information, Documentation and Support – Detail VPAT™ Voluntary Product Accessibility Template®</p>		
Criteria	Supporting Features	Remarks and explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge	Supports	Alternative forms of access to product support documentation in alternative formats are currently available by contacting Dell Customer and Technical Support: http://support.dell.com at no additional charge to the end user.
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supports	Alternative forms of access to descriptions of the accessibility and compatibility features in alternative formats are currently available via Dell Customer Support and Technical Support Services: http://support.dell.com at no additional charge to the end user.
c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports	Dell Provides support for Technical Support via Online Chat, Telephone and E-mail. Dell has a dedicated TTY line available.